

Contents of Volume 141 • 1999

- Abe K, Sawada T, Horiuchi M, Yoshimura K: Effects of S-8510, a benzodiazepine receptor partial inverse agonist, on event-related potentials (P300) in monkeys 71
- Adamson KL → Corrigan WA
- Alkana RL → Davies DL
- Alling K → Woolverton WL
- Al-Ruwaitea ASA, Chiang T-J, Al-Zahrani SSA, Ho M-Y, Bradshaw CM, Szabadi E: Effect of central 5-hydroxytryptamine depletion on tolerance of delay of reinforcement: evidence from performance in a discrete-trials "time-left" procedure 22
- Al-Zahrani SSA → Al-Ruwaitea ASA
- Andrews R → Gurguis GNM
- Antai-Otong D → Gurguis GNM
- Antonićević I → Frieboes R-M
- Asenbaum S → Tauscher J
- Aspen J, Gatch MB, Woods JH: Training and characterization of a quinine taste discrimination in rhesus monkeys 251
- Baggott M → Mendelson J
- Baker GB → Sills TL
- Baldo BA, Markou A, Koob GF: Increased sensitivity to the locomotor depressant effect of a dopamine receptor antagonist during cocaine withdrawal in the rat 135
- Balster RL → Bernalov AY
- Barnas C → Tauscher J
- Barr AM, Phillips AG: Withdrawal following repeated exposure to *d*-amphetamine decreases responding for a sucrose solution as measured by a progressive ratio schedule of reinforcement 99
- Baumann MH → Munzar P
- Baunez C, Robbins TW: Effects of transient inactivation of the subthalamic nucleus by local muscimol and APV infusions on performance on the five-choice serial reaction time task in rats 57
- Beardsley PM → Bernalov AY
- Bernalov AY, Tokarz ME, Bowen SE, Balster RL, Beardsley PM: Effects of test conditions on the outcome of place conditioning with morphine and naltrexone in mice 118
- Billington CJ → Glass MJ
- Bolger MB → Davies DL
- Bourin M → Redrobe JP
- Bowen SE → Bernalov AY
- Bradshaw CM → Al-Ruwaitea ASA
- Branch MN, Walker DJ, Brodtkorb GW: Attenuation of cocaine-induced response-rate increases during repeated administration despite increases in rate of reinforcement 413
- Brinton RD → Davies DL
- Broadbent J, Harless WE: Differential effects of GABA_A and GABA_B agonists on sensitization to the locomotor stimulant effects of ethanol in DBA/2 J mice 197
- Brodtkorb GW → Branch MN
- Brücke T → Tauscher J
- Bymaster FP → Zhang W
- Caggiola AR → McCallum SE
- Caine SB → Matthews K
- Campbell UC → Rodefer JS
- Carroll ME → Rodefer JS
- Carter G → Miczek KA
- Carter RB → Vanover KE
- Case G → Rickels K
- Centorrino F → Cohen BM
- Chaouloff F, Courvoisier H, Moisan MP, Mormède P: GR 127935 reduces basal locomotor activity and prevents RU 24969-, but not *D*-amphetamine-induced hyperlocomotion, in the Wistar-Kyoto Hyperactive (WKHA) rat 326
- Cherkerzian S → Cohen BM
- Chiang T-J → Al-Ruwaitea ASA
- Chow BLC → Corrigan WA
- Chu H-M → Cohen BM
- Ciccocioppo R, Panocka I, Frolid R, Quitadamo E, Massi M: Ethanol induces conditioned place preference in genetically selected alcohol-preferring rats 235
- Ciccocioppo R, Panocka I, Polidori C, Regoli D, Massi M: Effect of nociceptin on alcohol intake in alcohol-preferring rats 220
- Cleary JP → Glass MJ
- Coen KM → Corrigan WA
- Cohen BM, Ennulat DJ, Centorrino F, Matthes S, Konieczna H, Chu H-M, Cherkerzian S: Polymorphisms of the dopamine D₂ receptor and response to antipsychotic drugs 6
- Comer SD → Haney M
- Corrigan WA, Coen KM, Adamson KL, Chow BLC: The mu opioid agonist DAMGO alters the intravenous self-administration of cocaine in rats: mechanisms in the ventral tegmental area 428
- Cosgrove KP → Rodefer JS
- Courvoisier H → Chaouloff F
- Cowen PJ → McTavish SFB
- Czobor P → Mohr P
- Davies DL, Bolger MB, Brinton RD, Finn DA, Alkana RL: In vivo and in vitro hyperbaric studies in mice suggest novel sites of action for ethanol 339
- De Vries TJ → Nestby P
- DeMartini N → Rickels K
- Deutz NEP → Klaassen T
- Deutz NEP → Riedel WJ
- Dikis EJ → Gurguis GNM
- Elmer GI → Stoleran IP
- Engel JA → Zhang J
- Ennulat DJ → Cohen BM
- Epstein LH → McCallum SE
- Ericson M → Zhang J
- Espejo EF → Miczek KA
- Everitt BJ → Matthews K
- Faulhaber J → Lancel M
- Feifel D, Reza T: Oxytocin modulates psychotomimetic-induced deficits in sensorimotor gating 93
- Felicio LF → Silva RH
- Fernandez I → Mendelson J
- Finn DA → Davies DL
- Fischer P → Tauscher J
- Fischman MW → Haney M
- Fletcher PJ → Sills TL
- Foltin RW → Haney M
- Frieboes R-M, Murck H, Antonijević I, Kraus T, Hinze-Selch D, Pollmächer T, Steiger A: Characterization of the sigma ligand panamidine, a potential antipsychotic, by immune response in patients with schizophrenia and by sleep-EEG changes in normal controls 107
- Frolid R → Ciccocioppo R
- Frussa-Filho R → Silva RH
- García España F → Rickels K
- Gatch MB → Aspen J
- Gee KW → Vanover KE
- Glass MJ, O'Hare E, Cleary JP, Billington CJ, Levine AS: The effect of naloxone on food-motivated behavior in the obese Zucker rat 378
- Goldberg SR → Munzar P
- Goldberg SR → Stoleran IP
- Grauer SM, Marquis KL: Intracerebral administration of metabotropic glutamate receptor agonists disrupts glutamate inhibition of acoustic startle in Sprague-Dawley rats 405
- Gray JA → Kumari V
- Greenblatt D → Rickels K
- Greenshaw AJ → Sills TL
- Gurguis GNM, Andrews R, Antai-Otong D, Vo SP, Dikis EJ, Orsulak PJ, Rush AJ: Platelet α_2 -adrenergic receptor coupling efficiency to G_i protein in subjects with post-traumatic stress disorder and normal controls 258
- Haney M, Ward AS, Comer SD, Foltin RW, Fischman MW: Abstinence symptoms following oral THC administration to humans 385
- Haney M, Ward AS, Comer SD, Foltin RW, Fischman MW: Abstinence symptoms following smoked marijuana in humans 395
- Harless WE → Broadbent J
- Harrison AA, Parsons LH, Koob GF, Markou A: RU 24969, a 5-HT_{1A/1B} agonist, elevates brain stimulation reward thresholds: an effect reversed by GR 127935, a 5-HT_{1B/1D} antagonist 242
- Harvey JA, Welsh SE, Hood H, Romano AG: Effect of 5-HT₂ receptor antagonists on a cranial nerve reflex in the rabbit: evidence for inverse agonism 162
- Hen R → Searce-Levie K
- Hinze-Selch D → Frieboes R-M
- Ho M-Y → Al-Ruwaitea ASA
- Hogenboom F → Nestby P
- Holsboer F → Lancel M
- Hood H → Harvey JA
- Horáček J → Mohr P
- Horiuchi M → Abe K
- Huber M → Vanover KE
- Jääskeläinen IP, Schröger E, Näätänen R: Electrophysiological indices of acute effects of ethanol on involuntary attention shifting 16

- Jones RT → Mendelson J
Jovanovic V → Watts VJ
- Kasper S → Tauscher J
Kempinski OS → Stover JF
Klaassen T, Riedel WJ, Deutz NEP,
Someren A van, Praag HM van: Specificity of the tryptophan depletion method 279
Klaassen T → Riedel WJ
Kleven MS, Koek W: Effects of benzodiazepine agonists on punished responding in pigeons and their relationship with clinical doses in humans 206
Koek W → Kleven MS
Konieczna H → Cohen BM
Koob GF → Baldo BA
Koob GF → Harrison AA
Kossmann T → Stover JF
Kraus T → Frieboes R-M
Kream RM → Miczek KA
Küfflerle B → Tauscher J
Kumari V, Gray JA: Smoking withdrawal, nicotine dependence and prepulse inhibition of the acoustic startle reflex 11
- Lan NC → Vanover KE
Lancel M, Faulhaber J, Holsboer F, Rupprecht R: The GABA_A receptor antagonist picrotoxin attenuates most sleep changes induced by progesterone 213
Laudrup P, Wallace LJ: Sensitization elicited by directly and indirectly acting dopaminergic agonists: comparison using neural network analysis 169
Levine AS → Glass MJ
Li Y, Wolf ME: Can the "state-dependency" hypothesis explain prevention of amphetamine sensitization in rats by NMDA receptor antagonists? 351
Libiger J → Mohr P
- Markou A → Baldo BA
Markou A → Harrison AA
Marquis KL → Grauer SM
Massi M → Ciccocioppo R
Matthews K, Robbins TW, Everitt BJ, Caine SB: Repeated neonatal maternal separation alters intravenous cocaine self-administration in adult rats 123
Matthysse S → Cohen BM
McCallum SE, Caggiula AR, Epstein LH, Saylor S, Ploskina T, Sved AF: Mecamylamine blocks the development of tolerance to nicotine in rats: implications for the mechanisms of tolerance 332
McTavish SFB, Cowen PJ, Sharp T: Effect of a tyrosine-free amino acid mixture on regional brain catecholamine synthesis and release 182
Melby AK → Mendelson J
Mendelson J, Jones RT, Welm S, Baggott M, Fernandez I, Melby AK, Nath RP: Buprenorphine and naloxone combinations: the effects of three dose ratios in morphine-stabilized, opiate-dependent volunteers 37
Miczek KA, Nikulina E, Kream RM, Carter G, Espejo EF: Behavioral sensitization to cocaine after a brief social defeat stress: *c-fos* expression in the PAG 225
- Mohr P, Horáček J, Motlová L, Libiger J, Czobor P: Effects of haloperidol treatment on prolactin response to D-fenfluramine challenge in acute schizophrenia 322
Moisan MP → Chaouloff F
Morgan MJ: Memory deficits associated with recreational use of "ecstasy" (MDMA) 30
Morganti-Kossmann MC → Stover JF
Mormède P → Chaouloff F
Motlová L → Mohr P
Mulder AH → Nestby P
Munzar P, Baumann MH, Shoaib M, Goldberg SR: Effects of dopamine and serotonin-releasing agents on methamphetamine discrimination and self-administration in rats 287
Murek H → Frieboes R-M
- Näätänen R → Jääskeläinen IP
Nath RP → Mendelson J
Naylor C → Stolerman IP
Nestby P, Vanderschuren LJMJ, De Vries TJ, Mulder AH, Wardeh G, Hogenboom F, Schoffmeier ANM: Unrestricted free-choice ethanol self-administration in rats causes long-term neuroadaptations in the nucleus accumbens and caudate putamen 307
Neve KA → Watts VJ
Nikulina E → Miczek KA
- O'Hare E → Glass MJ
Orsulak PJ → Gurguis GNM
- Panocka I → Ciccocioppo R
Parsons LH → Harrison AA
Pauly JR → Sparks JA
Pezawas L → Tauscher J
Phillips AG → Barr AM
Pleines UE → Stover JF
Ploskina T → McCallum SE
Polidori C → Ciccocioppo R
Pollmächer T → Frieboes R-M
Praag HM van → Klaassen T
Praag HM van → Riedel WJ
- Quitadamo E → Ciccocioppo R
- Redrobe JP, Bourin M: Evidence of the activity of lithium on 5-HT_{1B} receptors in the mouse forced swimming test: comparison with carbamazepine and sodium valproate 370
Regoli D → Ciccocioppo R
Reza T → Feifel D
Rickels K, Schweizer E, García España F, Case G, DeMartini N, Greenblatt D: Trazodone and valproate in patients discontinuing long-term benzodiazepine therapy: effects on withdrawal symptoms and taper outcome 1
Riedel WJ, Klaassen T, Deutz NEP, Someren A van, Praag HM van: Tryptophan depletion in normal volunteers produces selective impairment in memory consolidation 362
Riedel WJ → Klaassen T
Robbins TW → Baunez C
Robbins TW → Matthews K
Robledo S → Vanover KE
- Rodefer JS, Campbell UC, Cosgrove KP, Carroll ME: Naltrexone pretreatment decreases the reinforcing effectiveness of ethanol and saccharin but not PCP or food under concurrent progressive-ratio schedules in rhesus monkeys 436
Romano AG → Harvey JA
Rupprecht R → Lancel M
Rush AJ → Gurguis GNM
- Sawada T → Abe K
Saylor S → McCallum SE
Searce-Levie K, Viswanathan SS, Hen R: Locomotor response to MDMA is attenuated in knockout mice lacking the 5-HT_{1B} receptor 154
Schoffmeier ANM → Nestby P
Schröger E → Jääskeläinen IP
Schweizer E → Rickels K
Sharp T → McTavish SFB
Shoaib M → Munzar P
Sills TL, Greenshaw AJ, Baker GB, Fletcher PJ: Acute fluoxetine treatment potentiates amphetamine hyperactivity and amphetamine-induced nucleus accumbens dopamine release: possible pharmacokinetic interaction 421
Silva RH, Felicio LF, Frussa-Filho R: Ganglioside GM1 attenuates scopolamine-induced amnesia in rats and mice 111
Someren A van → Klaassen T
Someren A van → Riedel WJ
Sparks JA, Pauly JR: Effects of continuous oral nicotine administration on brain nicotinic receptors and responsiveness to nicotine in C57Bl/6 mice 145
Steiger A → Frieboes R-M
Steptoe A, Wardle J: Mood and drinking: a naturalistic diary study of alcohol, coffee and tea 315
Stocker R → Stover JF
Stolerman IP, Naylor C, Elmer GI, Goldberg SR: Discrimination and self-administration of nicotine by inbred strains of mice 297
Stover JF, Pleines UE, Morganti-Kossmann MC, Stocker R, Kempinski OS, Kossmann T: Thiopental and midazolam do not seem to impede metabolism of glutamate in brain-injured patients 66
Suruki M → Vanover KE
Sved AF → McCallum SE
Svensson L → Zhang J
Szabadi E → Al-Ruwaitea ASA
- Tauscher J, Küfflerle B, Asenbaum S, Fischer P, Pezawas L, Barnes C, Tauscher-Wisniewski S, Brücke T, Kasper S: In vivo ¹²³I IBZM SPECT imaging of striatal dopamine-2 receptor occupancy in schizophrenic patients treated with olanzapine in comparison to clozapine and haloperidol 175
Tauscher-Wisniewski S → Tauscher J
Tokarz ME → Bepalov AY
- Van Tol HHM → Watts VJ
Vanderschuren LJMJ → Nestby P
Vanover KE, Suruki M, Robledo S, Huber M, Wieland S, Lan NC, Gee KW, Wood PL, Carter RB: Positive allosteric modulation

lators of the GABA_A receptor: differential interaction of benzodiazepines and neuroactive steroids with ethanol 77
 Viswanathan SS → Scarsie-Levie K
 Vo SP → Gurguis GNM
 Vu MN → Watts VJ

Walker DJ → Branch MN
 Wallace LJ → Laudrup P
 Ward AS → Haney M
 Wardeh G → Nestby P
 Wardle J → Steptoe A
 Watts VJ, Vu MN, Wiens BL, Jovanovic V, Van Tol HHM, Neve KA: Short- and long-term heterologous sensitization of

adenylate cyclase by D₄ dopamine receptors 83

Welm S → Mendelson J
 Welsh SE → Harvey JA
 Wieland S → Vanover KE
 Wiens BL → Watts VJ
 Wolf ME → Li Y
 Wood PL → Vanover KE
 Woods JH → Aspen J
 Woolverton WL, Alling K: Choice under concurrent VI schedules: comparison of behavior maintained by cocaine or food 47

Yoshimura K → Abe K

Zhang J, Engel JA, Ericson M, Svensson L: Involvement of the medial geniculate body in prepulse inhibition of acoustic startle 189

Zhang W, Bymaster FP: The in vivo effects of olanzapine and other antipsychotic agents on receptor occupancy and antagonism of dopamine D₁, D₂, D₃, 5HT_{2A} and muscarinic receptors 267

Indexed in *Current Contents*,
Psychological Abstracts,
Psyc INFO, *Index Medicus* and in *EMBASE*

Subject index of Volume 141 • 1999

Acetylcholine 267, 307
 Acoustic startle reflex 11
 Acoustic startle response 189
 Adenylate cyclase 83
 α₂-Adrenergic receptor 258
 Aggression 225
 Agonistic behavior 225
 Alanine 66
 Alcohol 16, 315
 Alcohol intake 220
 Alcohol-preferring rat 235
 Allopregnanolone 77
 Allosteric coupling hypothesis 339
 Amino acid 279
 γ-Aminobutyric acid (GABA) 339
 Amphetamine 99, 169, 351
 D-Amphetamine 326
 Anhedonia 99
 Anticonvulsant effect 339
 Antipsychotic 6, 267
 Anxiety 258
 Anxiety disorders 1
 Anxiolytic 206
 Apomorphine 169
 Attention 57, 362
 Atypical antipsychotic drug 107, 175
 Auditory distraction 16
 Autoradiography 145
 Baelofen 197
 Barbiturates 339
 Basal ganglia 57
 Behavioral sensitization 351
 Behaviour 57
 Benzodiazepine 77, 339
 Benzodiazepine anxiolytics 1
 Benzodiazepine discontinuation 1
 Benzodiazepine inverse agonist 71
 BOL 162
 Brain trauma 66
 α-Bungarotoxin 145
 Buprenorphine 37
 C57BL/6 mice 339
 Carbamazepine 370
 Catecholamine 182
 Central nervous system 339
 Cerebrospinal fluid 66
 c-fos 225
 Choice 47
 Circadian rhythm 145
 cis-flupenthixol 135

Clozapine 267
 Cocaine 47, 118, 123, 135, 225, 242, 413
 Cocaine reinforcement 428
 Coffee 315
 Cognition disorders etiology 362
 Competing amino acids 362
 Concurrent 47
 Conditioned place preference 235
 Conflict behavior 206
 Cortex 57
 Coupling 258
 Cytisine 145
 Cytochrome P450 421
 DBA/2 J mice 197
 Defeat 225
 Delayed reinforcement 22
 Dependence 385, 395
 Depression 99, 258
 Diazepam 77
 5,7-Dihydroxytryptamine 22
 Dizocilpine 93
 Dopamine 6, 93, 182, 267, 287, 307
 Dopamine D₂ receptor 175
 Dopamine D₄ receptor 83
 Dopamine receptor antagonist 135
 Dose ratio 37
 Drug abuse 154
 Drug discrimination 287, 297
 EEG spectral analysis 213
 Ethanol 16, 197, 235, 307, 436
 Ethanol antagonist 339
 Ethanol interaction 77
 Eticlopride 123
 Event-related brain potentials 16
 Event-related potential 71
 Exploratory behavior 154
 Fenfluramine 287
 D-Fenfluramine challenge 322
 Fentanyl 118
 Fixed-ratio schedule 413
 Food 436
 Food intake 385
 Forced swimming test 370
 Forced-choice reaction time 16
 Fos expression 225
 G protein 258
 GABA agonists 197
 GABA_A receptor 213
 GABA_A receptor complex 339
 GABA-activated chloride ion uptake 339

Globus pallidus 57
 Glutamate 57, 66, 93
 Glutamine 66
 GR 127935 242, 326
 Haloperidol 267, 322
 Helium-oxygen gas mixture 339
 Heroin 118
 Heterologous sensitization 83
 5-HT_{1B} 242
 5-HT_{1B} receptor 154, 370
 5-HT_{1B/D} receptor 326
 5-HT_{2A/2C} receptor antagonists 162
 Human 37, 385, 395
 3α-Hydroxy-5β-pregnan-20-one (3α, 5β-P) 339
 5-Hydroxytryptamine 22
 Hyperbaric exposure 339
 [¹²⁵I]IBZM 175
 Immediate early gene 225
 Immunomodulation 107
 In vivo 267
 Intracranial self-stimulation 242
 Intravenous self-administration 123
 Involuntary attention shifting 16
 Kappa opioid 428
 Ketanserin 162
 Knockout mice 154
 Lactate 66
 Learning 111
 Ligand-gated ion channels 339
 Lithium 370
 Locomotion 154
 Locomotor activity 135, 197, 326, 421
 Loss of righting reflex (LORR) 339
 LY-53,857 162
 Lysine 279
 Marchigian 220
 Marchigian Sardinian alcohol-preferring rat 235
 Marijuana 385, 395
 Matching 47
 Maternal separation 123
 MDL-11,939 162
 MDL100907 267
 MDMA 30
 Mecamylamine 297, 332
 Medial geniculate body 189
 Memory 30, 111, 279
 Memory disorders chemically induced 362

- Mesolimbic dopamine 123
 Metabotropic glutamate receptor 405
 Methamphetamine 287
 3,4-Methylenedioxymethamphetamine (MDMA) 154
 Mianserin 162
 Mice 118, 297
 Microdialysis 182, 421
 Midazolam 66
 Mismatch negativity 16
 MK-801 351
 MMN 16
 Monkey 436
 Monosialoganglioside 111
 Mood 279, 315
 Morphine 118
 Motor behavior 77
 Motor performance 162
 Mu opioid 428
 Muscarinic 267
 N2b 16
 Naloxone 37
 Naltrexone 118
 Neural network analysis 169
 Neuroactive steroid 77, 339
 Neurosteroid 77, 213
 Neurotoxicity 30
 Nicotine 145, 297, 332
 Nicotine dependence 11
 Nictitating membrane 162
 NMDA receptor 351
N-Methyl-D-aspartate (NMDA) 339
 Nociceptin 220
 Noradrenaline 182
 Norfluoxetine 421
 Nucleus accumbens 405
 Obesity 378
 Olanzapine 175, 267
 Operant behavior 378, 413
 Operant behaviour 22
 Opiate dependence 37
 Oral 145, 436
 Orphanin FQ 220
 Oxytocin 93
 P3a 16
 P300-like potential 71
 Panamesine 107
 Pentobarbital 118
 Performance 385, 395
 Periaqueductal grey area 225
 Phencyclidine 436
 Phentermine 287
 Pigeon 206, 413
 Place conditioning 118
 Polymorphism 6
 Post-traumatic stress disorder 258
 Prefrontal cortex 267
 Pregnanolone 77
 Prepulse inhibition 11, 93, 189, 405
 Progressive ratio 99, 436
 Prolactin 322
 Psychomotor stimulant 135, 225
 Psychostimulant 99
 Quinine 251
 Rabbit 162
 Rat 99, 189, 213, 287, 307, 332, 351, 421
 Rearing 326
 Receptor 6
 Reinforcement loss 413
 Residential laboratory 395
 Reward 123, 225, 242
 Rhesus monkey 47, 251
 Risperidone 267
 Ritanserin 162
 RU 24969 242, 326
 S-8510 71
 Saccharin 436
 Sardinian alcohol-preferring rat 220
 SCH 23390 123
 Schizophrenia 93, 189, 322
 Scopolamine 71, 111
 Self-administration 47, 135, 287, 297, 307, 436
 Sensitization 169, 197, 225
 Sensorimotor gating 93, 189
 Sensory gating 405
 Serotonergic system 362
 Serotonin 30, 154, 242, 267, 287, 322, 421
 Serotonin biosynthesis 362
 Sertindole 267
 Sigma ligand 107
 Sleep 213
 Sleep EEG 107
 Smoking withdrawal 11
 Social behavior 225
 Sodium valproate 370
 SPECT 175
 SSRI 421
 State-dependency 118, 351
 Stereotypy 225
 Stimulus properties 118
 Strain differences 297
 Stress 225, 315
 Subjective effect 385, 395
 Substance withdrawal syndrome 1
 Sucrose solution 99
 Taste discrimination 251
 Tea 315
 4,5,6,7-Tetrahydroisoxazolo-pyridin-3-ol (THIP) 339
 Thalamic parafascicular nucleus 57
 THC 385
 Thiopental 66
 THIP 197
 Timing 22
 Tolerance 145, 332, 385, 395, 413
 Trazodone 1
 Triazolam 77
 Tryptophan 279
 Tryptophan metabolism 362
 Tyrosine depletion 182
 Valproate 1
 Variable-interval 47
 Ventral tegmental area 428
 Verbal learning 362
 Withdrawal 99, 135, 385, 395
 WKHA rat 326
 Ziprasidone 267
 Zucker rat 378

